Index of Authors

ABADI, K. *See* TERHELL, A. J.

AGATSUMA, T. *See* HIGO, H.

AGNEESSENS, J. *See* GELDHOF, P.

ALANO, P. *See* SILVESTRINI, F.

ALEXANDER, J. *See* BALMER, P.

ALPERS, M. P. *See* BRUCE, M. C.

AL SEROURI, A. W., GRANTHAM-McGREGOR, S. M., GREENWOOD, B. and COSTELLO, A. Impact of asymptomatic malaria parasitaemia on cognitive function and school achievement of schoolchildren in the Yemen Republic, 337

ANTHONY, T. G., TRUEMAN, H. E., HARBACH, R. E. and VOLGER, A. P. Polymorphic microsatellite markers identified in individual *Plasmodium falciparum* oocysts from wild-caught *Anopheles* mosquitoes, 121

ARMUGAM, A. *See* HO, L. C.

AWONO-AMBENE, H. P. *See* PICHON, G.

BAKKE, T. A. *See* CABLE, J.

BALMER, P., ALEXANDER, J. and PHILLIPS, R. S. Protective immunity to erythrocytic *Plasmodium chabaudi* AS infection involves IFNγ-mediated responses and a cellular infiltrate to the liver, 473

BANNISTER, L. H., HOPKINS, J. M., FOWLER, R. E., KRISHNA, S. and MITCHELL, G. H. Ultrastructure of rhoptry development in *Plasmodium falciparum* erythrocytic schizonts, 273

BARNWELL, J. W. *See* BRUCE, M. C.

BARTLETT, A., BROWN, M., MARRIOTT, C. and WHITFIELD, P. J. The infection of human skin by schistosome cercariae: studies using Franz cells, 49

BASÁÑEZ, M.-G. *See* VIVAS-MARTÍNEZ, S.

BERLAND, B. *See* NADLER, S. A.

BERNADINA, W. E. *See* PÉREZ-SERRANO, J.

BETTS, C. J., DESCHOOLMEESTER, M. L. and ELSE, K. J. *Trichuris muris*: CD4$^+$ T cell-mediated protection in reconstituted SCID mice, 631

BISEROVA, N. M., DUDICHEVA, V. A., TERENINA, N. B., REUTER, M., HALTON, D. W., MAULE, A. G. and GUSTAFSSON, M. K. S. The nervous system of *Amphilina foliacea* (*Platyhelminthes, Amphilinidea*). An immunocytochemical, ultrastructural and spectrofluorometrical study, 441

BISHOP, S. C. and STEAR, M. J. The use of gamma-type function to assess the relationship between the number of adult *Teladorsagia circumcincta* and total egg output, 435

BOHAN, D. A. Spatial structuring and frequency distribution of the nematode *Steinernema feltiae* Filipjev, 417

BOISSIER, J. and MONÉ, H. Experimental observations on the sex ratio of adult *Schistosoma mansoni*, with comments on the natural male bias, 379

BOTTO, C. *See* VIVAS-MARTÍNEZ, S.

BOULÉTREAU, M. *See* FLEURY, F.

BROWN, A. E. *See* SUTHERLAND, I. A.

BROWN, M. *See* BARTLETT, A.

BRUCE, M. C., DONNELLY, C. A., PACKER, M., LAGOG, M., GIBSON, N., NARARA, A., WALLIKER, D., ALPERS, M. P. and DAY, K. P. Age- and species-specific duration of infection in asymptomatic malaria infections in Papua New Guinea, 247

BRUCE, M. C., GALINSKI, M. R., BARNWELL, J. W., DONNELLY, C. A., WALMSLEY, M., ALPERS, M. P., WALLIKER, D. and DAY, K. P. Genetic diversity and dynamics of *Plasmodium falciparum* and *P. vivax* populations in multiply infected children with asymptomatic malaria infections in Papua New Guinea, 257

BURKOT, T. R., SCHNEIDER, B. S., PIENIAZEK, N. J., HAPP, C. M., RUTHERFORD, J. S., SLEMENDA, S. B., HOFFMEISTER, E., MAUPIN, G. O. and ZEIDNER, N. S. *Babesia microti* and *Borrelia bissetti* transmission by *Ixodes spinipalpis* ticks among prairie voles, *Microtus ochrogaster*, in Colorado, 595

BUZONI-GATEL, D. *See* COUZINET, S.

CABLE, J., HARRIS, P. D. and BAKKE, T. A. Population growth of *Gyrodactylus salaris* (Monogenea) on Norwegian and Baltic Atlantic salmon (Salmo salar) stocks, 621

CALDEIRA, R. L. *See* VIDIGAL, T. H. D. A.

CARABIN, H., CHAN, M.-S. and GUYATT, H. L. A population dynamic approach to evaluating the impact of school attendance on the unit cost and effectiveness of school-based schistosomiasis chemotherapy programmes, 171

CARTER, R. *See* SMITH, T. G.

CARVALHO, O. S. *See* VIDIGAL, T. H. D. A.

CHAN, M.-S. *See* CARABIN, H.

CHAPPELL, L. H. *See* McLAUGHLIN, P. E.

CHAUVET, C. *See* MORAND, S.

CHISHOLM, L. A. and WHITTINGTON, I. D. Egg hatching in 3 species of monocotylid monogenean parasites from the shovelnose ray *Rhinobatos typus* at Heron Island, Australia, 303

CLAEREBOUT, E. *See* GELDHOF, P.

COLLINS, C. M. and CUNNINGHAM, C. O. Characterization of the *Gyrodactylus salaris* Malmberg, 1957 (Platyhelminthes: Monogenea) ribosomal intergenic spacer (IGS) DNA, 555

COSTELLO, A. *See* AL SEROURI, A. W.

COULSON, P. S. *See* HARROP, R.

COUZINET, S., DUBREMETZ, J. F., BUZONI-GATEL, D., JEMINET, G. and PRENSIER, G. *In vitro* activity of the polyether ionophorous antibiotic monensin against the cyst form of *Toxoplasma gondii*, 359

CRIBB, T. H. *See* MORAND, S.

CRIPPS, P. J. *See* WILLIAMS, D. J. L.

CRUZ-REYES, A. *See* HIGO, H.

CUNNINGHAM, C. O. *See* COLLINS, C. M.

CURTIS, C. F. *See* VIVAS-MARTÍNEZ, S.

DALTON, J. P. *See* TRUDGETT, A.

D'AMELIO, S. *See* NADLER, S. A.

DAY, K. P. *See* BRUCE, M. C.

DAY, T. A. *See* MAIR, G. R.

DEELDER, A. M. *See* POLMAN, K.

DELBAC, F. *See* PEUVEL, I.

DESCHOOLMEESTER, M. L. *See* BETTS, C. J.

DE VLAS, S. J. *See* POLMAN, K.

DAVINA, B. P., WILHELMSSON, E., MATTSSON, J. G., WALLER, P. and HÖGLUND, J. Identification of *Dictyocaulus* spp. in ruminants by morphological and molecular analyses, 193

DOEDENS, A. *See* LOUKAS, A.

DONNELLY, C. A. *See* BRUCE, M. C.

DUBEY, J. P., KERBER, C. E., LINDSAY, D. S., KASAI, N. and PENA, H. F. J. The South American opossum, *Didelphis marsupialis*, from Brazil as another definitive host for *Sarcocystis speeri* Dubey and Lindsay, 1999, 589

DUBREMETZ, J. F. *See* COUZINET, S.

DUDICHEVA, V. A. *See* BISEROVA, N. M.

DUFOUR, V. *See* MORAND, S.

DURAISINGH, M. T., VON SEIDLEIN, L. JEPSON, A., JONES, P., SAMBOU, I., PINDER, M. and WARHURST, D. C. Linkage disequilibrium between two chromosomally distinct loci associated with increased resistance to chloroquine in *Plasmodium falciparum*, 1

ELSE, K. J. *See* BETTS, C. J.

FAGERHOLM, H.-P. *See* NADLER, S. A.

FAIRBAIRN, J. P., FENTON, A., NORMAN, R. A. and HUDSON, P. J. Re-assessing the infection strategies of the entomopathogenic nematode *Steinernema feltiae* (Rhabditidae; Steinernematidae), 211

FALIEX, E. *See* MORAND, S.

FELLOWES, R. A., MAULE, A. G., MARTIN, R. J., GEARY, T. G., THOMPSON, D. P., KIMBER, M. J., MARKS, N. J. and HALTON, D. W. Classical neurotransmitters in the ovijector of *Ascaris suum*: localization and modulation of muscle activity, 325
FENTON, A. *See* FAIRBAIRN, J. P.
FLEURY, F., VAVRE, F., RIS, N., FOUILLET, P. and BOULÉTREAU, M. Physiological cost induced by the maternally-transmitted endosymbiont *Wolbachia* in the *Drosophila* parasitoid *Leptopilina heterotoma*, 493
FOUILLET, P. *See* FLEURY, F.
FOWLER, R. E. *See* BANNISTER, L. H.
FRAME, M. J., MOTTRAM, J. C. and COOMBES, G. H. Analysis of the roles of cysteine proteinases of *Leishmania mexicana* in the host–parasite interaction, 367
FREITAG, B. *See* FRIEDRICH, C.
FRIEDRICH, C., INGOLIC, E., FREITAG, B., KASTBERGER, G., HOHMANN, V., SKOFITSCH, G., NEUMEISTER, U. and KEPKA, O. A myxozoan-like parasite causing xenomas in the brain of the mole, *Talpa europaea* L., 1758 (Vertebrata, Mammalia), 483

GALINSKI, M. R. *See* BRUCE, M. C.
GALZIN, R. *See* MORAND, S.
GARCÍA, M. *See* VIVAS-MARTÍNEZ, S.
GEARY, T. G. *See* FELLOWES, R. A.
GELDHOF, P., CLAEREBOUT, E., KNOX, D. P., AGNEESSENS, J. and VERCRUYSSE, J. Proteinases released *in vitro* by the parasitic stages of bovine abomasal nematode *Ostertagia* ostertagi, 639
GIBSON, N. *See* BRUCE, M. C.
GINSBURG, H. *See* HOSHEN, M. B.
GLAZER, I. *See* SOLOMON, A.
GRANTHAM-McGREGOR, S. M. *See* AL SEROURI, A. W.
GREENWOOD, B. *See* AL SEROURI, A. W.
GREEN, R. M. *See* RANDOLPH, S. E.
GRYSEELS, B. *See* POLMAN, K.
GRYSEELS, B. *See* SOUTHGATE, V. R.
GUERRA, H. L. *See* RODRIGUES, L. C.
GUSTAFSSON, M. K. S. *See* BISEROVA, N. M.
GUYATT, H. L. *See* CARABIN, H.
GUY, C. S. *See* WILLIAMS, D. J. L.

HALTON, D. W. *See* BISEROVA, N. M.
HALTON, D. W. *See* FELLOWES, R. A.
HALTON, D. W. *See* MAIR, G. R.
HAPP, C. M. *See* BURKOT, T. R.
HARBACH, R. E. *See* ANTHONY, T. G.
HARRIS, P. D. *See* CABLE, J.
HARROP, R., JENNINGS, N., MOUNTFORD, A. P., COULSON, P. S. and WILSON, R. A. Characterization, cloning and immunogenicity of antigens released by transforming cercariae of *Schistosoma mansoni*, 385
HARTVIGSEN, R. A. *See* KENNEDY, C. R.
HEATH, D. D. *See* WOOLLARD, D. J.
HE, C. Y. *See* SHAW, M. K.
HEINRICH, R. *See* HOSHEN, M. B.
HIGO, H., YANAGI, T., MATTA, V., AGATSUMA, T., CRUZ-REYES, A., UYEMA, N., MONROY, C., KANBARA, H. and TADA, I. Genetic structure of *Trypanosoma cruzi* in American continents: special emphasis on sexual reproduction in Central America, 403
HINTZ, M. *See* LOUKAS, A.
HOEY, E. M. *See* TRUDGETT, A.
HOFFMEISTER, E. *See* BURKOT, T. R.
HÖGLUND, J. *See* DIVINA, B. P.
HOHMANN, V. *See* FRIEDRICH, C.
HO, L. C., ARMUGAM, A., JEYASEELAN, K., YAP, E. H. and SINGH, M. *Blastocystis* elongation factor-1α: genomic organization, taxonomy and phylogenetic relationships, 135
HOPKINS, J. M. *See* BANNISTER, L. H.
HOSHEN, M. B., HEINRICH, R., STEIN, W. D. and GINSBURG, H. Mathematical modelling of the within-host dynamics of *Plasmodium falciparum*, 227
HOSHEN, M. B., NA-BANGCHANG, K., STEIN, W. D. and GINSBURG, H. Mathematical modelling of the chemotherapy of *Plasmodium falciparum* malaria with artesunate: postulation of 'dormancy', a partial cytostatic effect of the drug, and its implication for treatment regimes, 237
HUDSON, P. J. *See* FAIRBAIRN, J. P.

IMASE, A., KOBAYASHI, K., OHMAE, H., IRIE, Y. and IWAMURA, Y. Horizontal and vertical transfer of mouse endogenous retroviral DNA sequences in schistosomes, 155
INGOLIC, E. *See* FRIEDRICH, C.
IRIE, Y. *See* IMASE, A.
ISOBE, T. *See* KASUGA-AOKI, H.
IWAMURA, Y. *See* IMASE, A.

JEMINET, G. *See* COUZINET, S.
JENNINGS, N. *See* HARROP, R.
JEPSON, A. *See* DURAISINGH, M. T.
JEYASEELAN, K. *See* HO, L. C.
JOKELA, J. *See* KRIST, A. C.
JONES, P. *See* DURAISINGH, M. T.
JOURDANE, J. *See* SOUTHGATE, V. R.
JÜRGES, G. *See* SURES, B.

KAMHAWI, S., MODI, G. B., PIMENTA, P. F. P., ROWTON, E. and SACKS, D. L. The vectorial competence of *Phlebotomus sergenti* is specific for *Leishmania tropica* and is controlled by species-specific, lipophosphoglycan-mediated midgut attachment, 25
KANBARA, H. *See* HIGO, H.
KAO, R. R., LEATHWICK, D. M., ROBERTS, M. G. and SUTHERLAND, I. A. Nematode parasites of sheep: a survey of epidemiological parameters and their application in a simple model, 85
KASAI, N. *See* DUBEY, J. P.
KASTBERGER, G. *See* FRIEDRICH, C.
KASUGA-AOKI, H., TSUJI, N., SUZUKI, K., ISOBE, T. and YOSHIHARA, S. Identification of surface proteins and antigens from larval stages of *Ascaris suum* by two-dimensional electrophoresis, 671
KAY, J. W. *See* McHUGH, E. S.
KEEGAN, P. S. *See* TRUDGETT, A.
KELLY, D. F. *See* WILLIAMS, D. J. L.
KENNEDY, C. R. and HARTVIGSEN, R. A. Richness and diversity of intestinal metazoan communities in brown trout *Salmo trutta* compared to those of eels *Anguilla anguilla* in their European heartlands, 55
KEPKA, O. *See* FRIEDRICH, C.
KERBER, C. E. *See* DUBEY, J. P.
KIMBER, M. J. *See* FELLOWES, M. J.
KISSINGER, J. C. *See* VIDIGAL, T. H. D. A.
KLUG, B. *See* MATUSCHKA, F.-R.
KNOX, D. P. *See* GELDHOF, P.
KOBAYASHI, K. *See* IMASE, A.
KOOT, J. W. *See* TERHELL, A. J.
KRISHNA, S. *See* BANNISTER, L. H.
KRIST, A. C., LIVELY, C. M., LEVRI, E. P. and JOKELA, J. Spatial variation in susceptibility to infection in a snail-trematode interaction, 395
KULBICKI, M. *See* MORAND, S.

LAGOG, M. *See* BRUCE, M. C.
LEATHWICK, D. M. *See* KAO, R. R.
LEATHWICK, D. M. *See* SUTHERLAND, D. M.
LEVRI, E. P. *See* KRIST, A. C.
LICHTENFELS, J. R. *See* McDONNELL, A.
LIGHTOWLERS, M. W. *See* WOOLLARD, D. J.
LIMA E COSTA, M. F. F. *See* RODRIGUES, L. C.
LINDSAY, D. S. *See* DUBEY, J. P.
LIVELY, C. M. *See* KRIST, A. C.
LO, C. M. *See* MORAND, S.
LOGAN, K. *See* SNOWDEN, K. F.

LOUKAS, A., DOEDENS, A., HINTZ, M. and MAIZELS, R. M. Identification of a new C-type lectin, TES-70, secreted by infective larvae of *Toxocara canis*, which binds to host ligands, 545
LOURENÇO, P. *See* SMITH, T. G.
LOVE, S. *See* McDONNELL, A.
LO-YAT, A. *See* MORAND, S.
LY, A. *See* SOUTHGATE, V. R.

MacEACHERN, K. *See* WILLIAMS, D. J. L.
MAIR, G. R., MAULE, A. G., DAY, T. A. and HALTON, D. W. A confocal microscopical study of the musculature of adult *Schistosoma mansoni*, 163
MAIZELS, R. M. *See* LOUKAS, A.
MARRIOTT, C. *See* BARTLETT, A.
MARTÍNEZ, J. *See* PÉREZ-SERRANO, J.
MATSUO, A., WU, Z., NAGANO, I. and TAKAHASHI, Y. Five types of nuclei present in the capsule of *Trichinella spiralis*, 203
MATTA, V. *See* HIGO, H.
MATTHEWS, J. B. *See* McDONNELL, A.
MATTSSON, J. G. *See* DIVINA, B. P.
MATUSCHKA, F.-R., SCHINKEL, T. W., KLUG, B., SPIELMAN, A. and RICHTER, D. Relative incompetence of European rabbits for Lyme disease spirochaetes, 297
MAULE, A. G. *See* BISEROVA, N. M.
MAULE, A. G. *See* FELLOWES, R. A.
MARKS, N. J. *See* FELLOWES, R. A.
MARTIN, R. J. *See* FELLOWES, R. A.
MAULE, A. G. *See* MAIR, G. R.
MAUPIN, G. O. *See* BURKOT, T. R.
McDONNELL, A., LOVE, S., TAIT, A., LICHTENFELS, J. R. and MATTHEWS, J. B. Phylogenetic analysis of partial mitochondrial cytochrome oxidase c subunit I and large ribosomal RNA sequences and nuclear internal transcribed spacer I sequences from species of Cyathostominae and Strongylinae (Nematoda, Order Strongylida), parasites of the horse, 649
McGARRY, J. W. *See* WILLIAMS, D. J. L.
McHUGH, E. S., SHINN, A. P. and KAY, J. W. Discrimination of the notifiable pathogen *Gyrodactylus salaris* from *G. thymalli* (Monogenea) using statistical classifiers applied to morphometric data, 315
McKERR, G. *See* SMITH, A. G.
McLAUGHLIN, P. E., ROBERTS, H. C. and CHAPPELL, L. H. Mode of action of cyclosporin A against *Hymenolepis microstoma* (Cestoda): relationship between cyclophilin binding and drug-induced damage, 661
McNAIR, A. T. *See* TRUDGETT, A.
METENIER, G. *See* PEUVEL, I.
MILLER, A. A. *See* POULIN, R.
MILLER, A. *See* TRUDGETT, A.
MITCHELL, G. H. *See* BANNISTER, L. H.
MODI, G. B. *See* KAMHAWI, S.
MONCRIEFF, C. B. *See* SOUTHGATE, V. R.
MONÉ, H. *See* BOISSIER, J.
MONROY, C. *See* HIGO, H.
MONTEIRO, E. *See* VIDIGAL, T. H. D. A.
MORAND, S., CRIBB, T. H., KULBICKI, M., RIGBY, M. C., CHAUVET, C., DUFOUR, V., FALIEX, E., GALZIN, R., LO, C. M., LO-YAT, A., PICHELIN, S. and SASAL, P. Endoparasite species richness of New Caledonian butterfly fishes: host density and diet matter, 65
MOUNTFORD, A. P. *See* HARROP, R.

NA-BANGCHANG, K. *See* HOSHEN, M. B.
NADLER, S. A., D'AMELIO, S., FAGERHOLM, H.-P., BERLAND, B. and PAGGI, L. Phylogenetic relationships among species of *Contracaecum* Railliet & Henry, 1912 and *Phocascaris* Høst, 1932 (Nematoda: Ascaridoidea) based on nuclear rDNA sequence data, 455
NAGANO, I. *See* MATSUO, A.
NARARA, A. *See* BRUCE, M. C.
NEUMEISTER, U. *See* FRIEDRICH, C.
NIMETH, K., ZWERGER, P., WÜRTZ, J., SALVENMOSER, W. and PELSTER, B. Infection of the glass-eel swimbladder with the nematode *Anguillicola crassus*, 75
NORMAN, R. A. *See* FAIRBAIRN, J. P.

OHMAE, H. *See* IMASE, A.

PACHECO, M. *See* VIVAS-MARTÍNEZ, S.
PACKER, M. *See* BRUCE, M. C.
PAGGI, L. *See* NADLER, S. A.
PAPERNA, I. *See* SOLOMON, A.
PEACEY, M. F. *See* RANDOLPH, S. E.
PELSTER, B. *See* NIMETH, K.
PENA, H. F. J. *See* DUBEY, J. P.
PÉREZ-SERRANO, J., MARTÍNEZ, J., REGAL, P., BERNADINA, W. E. and RODRÍGUEZ-CAABEIRO, F. Prior immunity to *Trichinella spiralis* prevents (re)occurrence of an explicit stress response in intestines but not in mesenteric lymph nodes, heart and lungs from reinfected rats, 565
PEUVEL, I., DELBAC, F., METENIER, G., PEYRET, P. and VIVARES, C. P. Polymorphism of the gene encoding a major Polar Tube Protein PTP1 in two microsporidia of the genus *Encephalitozoon*, 581
PEYRET, P. *See* PEUVEL, I.
PHALEN, D. N. *See* SNOWDEN, K. F.
PHILLIPS, R. S. *See* BALMER, P.
PICHELIN, S. *See* MORAND, S.
PICHON, G., AWONO-AMBENE, H. P. and ROBERT, V. High heterogeneity in the number of *Plasmodium falciparum* gametocytes in the bloodmeal of mosquitoes fed on the same host, 115
PIENIAZEK, N. J. *See* BURKOT, T. R.
PIMENTA, F. JR *See* RODRIGUES, L. C.
PIMENTA, P. F. P. *See* KAMHAWI, S.
PINDER, M. *See* DURAISINGH, M. T.
PIRES, E. C. R. *See* VIDIGAL, T. H. D. A.
POLMAN, K., DE VLAS, S. J., GRYSEELS, B. and DEELDER, A. M. Relating serum circulating anodic antigens to faecal egg counts in *Schistosoma mansoni* infections: a modelling approach, 601
POULIN, R., STEEPER, M. J. and MILLER, A. A. Non-random patterns of host use by the different parasite species exploiting a cockle population, 289
PRENSIER, G. *See* COUZINET, S.
PRICE, R. *See* TERHELL, A. J.

RAMASAMY, P. *See* TRUDGETT, A.
RANDOLPH, S. E., GREEN, R. M., PEACEY, M. F. and ROGERS, D. J. Seasonal synchrony: the key to tick-borne encephalitis foci identified by satellite data, 15
RANFORD-CARTWRIGHT, L. C. *See* SMITH, T. G.
REGAL, P. *See* PÉREZ-SERRANO, J.
REUTER, M. *See* BISEROVA, N. M.
RICHTER, D. *See* MATUSCHKA, F.-R.
RIGBY, M. C. *See* MORAND, S.
RIMA, B. K. *See* TRUDGETT, A.
RIS, N. *See* FLEURY, F.
ROBERTS, H. C. *See* McLAUGHLIN, P. E.
ROBERTS, M. G. *See* KAO, R. R.
ROBERT, V. *See* PICHON, G.
RODRÍGUEZ-CAABEIRO, F. *See* PÉREZ-SERRANO, J.
RODRIGUES, L. C., WHEELER, J. G., SHIER, R., GUERRA, H. L., PIMENTA, F. JR and LIMA E COSTA, M. F. F. Predicting the community prevalence of schistosomiasis mansoni from the prevalence among 7- to 14-year-olds, 507
ROGERS, D. J. *See* RANDOLPH, S. E.
ROJAS, S. *See* VIVAS-MARTÍNEZ, S.
ROOS, D. S. *See* SHAW, M. K.
ROWTON, E. *See* KAMHAWI, S.

RUTHERFORD, J. S. *See* BURKOT, T. R.

SACKS, D. L. *See* KAMHAWI, S.
SALVENMOSER, W. *See* NIMETH, K.
SAMBOU, I. *See* DURAISINGH, M. T.
SASAL, P. *See* MORAND, S.
SCHALL, J. J. Transmission success of the malaria parasite *Plasmodium mexicanum* into its vector: role of gametocyte density and sex ratio, 575
SCHINKEL, T. W. *See* MATUSCHKA, F.-R.
SCHNEIDER, B. S. *See* BURKOT, T. R.
SHAW, M. K., HE, C. Y., ROOS, D. S. and TILNEY, L. G. Proteosome inhibitors block intracellular growth and replication of *Toxoplasma gondii*, 35
SHIER, R. *See* RODRIGUES, L. C.
SHINN, A. P. *See* McHUGH, E. S.
SINGH, M. *See* HO, L. C.
SILVESTRINI, F., ALANO, P. and WILLIAMS, J. L. Commitment to the production of male and female gametocytes in the human malaria parasite *Plasmodium falciparum*, 465
SIMPSON, A. J. G. *See* VIDIGAL, T. H. D. A.
SKOFITSCH, G. *See* FRIEDRICH, C.
SLEMENDA, S. B. *See* BURKOT, T. R.
SMITH, A. G. and McKERR, G. Tritiated thymidine ([^{3}H]-TdR) and immunocytochemical tracing of cellular fate within the asexually dividing cestode *Mesocestoides vogae* (syn. *M. corti*), 105
SMITH, R. F. *See* WILLIAMS, D. J. L.
SMITH, T. G., LOURENÇO, P., CARTER, R., WALLIKER, D. and RANFORD-CARTWRIGHT, L. C. Commitment to sexual differentiation in the human malaria parasite, *Plasmodium falciparum*, 127
SNOWDEN, K. F., LOGAN, K. and PHALEN, D. N. Isolation and characterization of an avian isolate of *Encephalitozoon hellem*, 9
SOLOMON, A., SOLOMON, R., PAPERNA, I. and GLAZER, I. Desiccation stress of entomopathogenic nematodes induces the accumulation of a novel heat-stable protein, 409
SOLOMON, R. *See* SOLOMON, A.
SOUTHGATE, V. R., TCHUEM TCHUENTÉ, L. A., THÉRON, A., JOURDANE, J., LY, A., MONCRIEFF, C. B. and GRYSEELS, B. Compatibility of *Schistosoma mansoni* Cameroon and *Biomphalaria pfeifferi* Senegal, 501
SPIELMAN, A. *See* MATUSCHKA, F.-R.
STEAR, M. J. *See* BISHOP, S. C.
STEEPER, M. J. *See* POULIN, R.
STEIN, W. D. *See* HOSHEN, M. B.
SURES, B., JÜRGES, G. and TARASCHEWSKI, H. Accumulation and distribution of lead in the archiacanthocephalan *Moniliformis moniliformis* from experimentally infected rats, 427
SUTHERLAND, I. A., BROWN, A. E. and LEATHWICK, D. M. Selection for drug-resistant nematodes during and following extended exposure to anthelmintic, 217
SUTHERLAND, I. A. *See* KAO, R. R.
SUZUKI, K. *See* KASUGA-AOKI, H.

TADA, I. *See* HIGO, H.
TAIT, A. *See* McDONNELL, A.
TAKAHASHI, Y. *See* MATSUO, A.
TARASCHEWSKI, H. *See* SURES, B.
TASKER, L. *See* WILLIAMS, D. J. L.
TCHUEM TCHUENTÉ, L. A. *See* SOUTHGATE, V. R.
TERENINA, N. B. *See* BISEROVA, N. M.
TERHELL, A. J., PRICE, R., KOOT, J. W. M., ABADI, K. and YAZDANBAKHSH, M. The development of specific IgG4 and IgE in a paediatric population is influenced by filarial endemicity and gender, 535
THÉRON, A. *See* SOUTHGATE, V. R.
THOMPSON, D. P. *See* FELLOWES, R. A.
TILNEY, L. G. *See* SHAW, M. K.
TREES, A. J. *See* WILLIAMS, D. J. L.
TRUDGETT, A., McNAIR, A. T., HOEY, E. M., KEEGAN, P. S., DALTON, J. P., RIMA, B. K., MILLER, A. and RAMASAMY, P. The major tegumental antigen of *Fasciola hepatica* contains repeated elements, 185
TRUEMAN, H. E. *See* ANTHONY, T. G.
TSUJI, N. *See* KASUGA-AOKI, H.

UYEMA, N. *See* HIGO, H.

VAVRE, F. *See* FLEURY, F.
VERCRUYSSE, J. *See* GELDHOF, P.
VIDIGAL, T. H. D. A., KISSINGER, J. C., CALDEIRA, R. L., PIRES, E. C. R., MONTEIRO, E., SIMPSON, A. J. G. and CARVALHO, O. S. Phylogenetic relationships among Brazilian *Biomphalaria* species (Mollusca: Planorbidae) based upon analysis of ribosomal ITS2 sequences, 611
VILLEGAS, L. *See* VIVAS-MARTÍNEZ, S.
VIVARES, C. P. *See* PEUVEL, I.
VIVAS-MARTÍNEZ, S., BASÁÑEZ, M.-G., BOTTO, C., ROJAS, S., GARCÍA, M., PACHECO, M. and CURTIS, C. F. Amazonian onchocerciasis: parasitological profiles by host-age, sex, and endemicity in southern Venezuela, 513
VIVAS-MARTÍNEZ, S., BASÁÑEZ, M.-G., BOTTO, C., VILLEGAS, L., GARCÍA, M. and CURTIS, C. F. Parasitological indicators of onchocerciasis relevant to ivermectin control programmes in the Amazonian focus of southern Venezuela, 527
VOGLER, A. P. *See* ANTHONY, T. G.
VON SEIDLEIN, L. *See* DURAISINGH, M. T.

WALLIKER, D. *See* BRUCE, M. C.
WALLIKER, D. *See* SMITH, T. G.
WALLER, P. *See* DIVINA, B. P.
WALMSLEY, M. *See* BRUCE, M. C.
WARHURST, D. C. *See* DURAISINGH, M. T.
WHEELER, J. G. *See* RODRIGUES, L. C.
WHITFIELD, P. J. *See* BARTLETT, A.
WHITTINGTON, I. D. *See* CHISHOLM, L. A.
WILHELMSSON, E. *See* DIVINA, B. P.
WILLIAMS, D. J. L., GUY, C. S., McGARRY, J. W., GUY, F., TASKER, L., SMITH, R. F., MacEACHERN, K., CRIPPS, P. J., KELLY, D. F. and TREES, A. J. *Neospora caninum* – associated abortion in cattle: the time of experimentally-induced parasitaemia during gestation determines foetal survival, 347
WILLIAMS, J. L. *See* SILVESTRINI, F.
WILSON, R. A. *See* HARROP, R.
WOOLLARD, D. J., HEATH, D. D. and LIGHTOWLERS, M. W. Assessment of protective immune responses against hydatid disease in sheep by immunization with synthetic peptide antigens, 145
WÜRTZ, J. *See* NIMETH, K.
WU, Z. *See* MATSUO, A.

YANAGI, T. *See* HIGO, H.
YAP, E. H. *See* HO, L. C.
YAZDANBAKHSH, M. *See* TERHELL, A. J.
YOSHIHARA, S. *See* KASUGA-AOKI, H.

ZEIDNER, N. S. *See* BURKOT, T. R.
ZWERGER, P. *See* NIMETH, K.

Index of Subjects

Abortion, in cattle, effect of *Neospora caninum* on, 347
Amazonian onchocerciasis, parasitological profiles of, 513, 527
Amphilina foliacea, nervous system of, 441
Anguillicola crassus, infection of the glass-eel swimbladder with, 75
Anthelmintic, selection of drug-resistant nematodes following exposure to, 217
Antibiotic activity, of monensin against *Toxoplasma gondii*, 359
Antigens, of *Schistosoma mansoni* transforming cercariae, 385
Artesunate, as antimalarial chemotherapy, mathematical model for, 237
Ascaris suum, neurotransmitters in the ovijector of, 325
surface proteins and antigens of, 671
Asymptomatic malaria, and cognitive function in schoolchildren, 337
Asymptomatic malaria infections, duration of in Papua New Guinea, 247
Avian microsporidiosis, 9

Babesia microti, transmission of by *Ixodes spinipalpis* among prairie voles, 595
Biomphalaria pfeifferi, compatibility of with *Schistosoma mansoni*, 501
Biomphalaria spp., phylogenetic relationships among, 611
Blastocystis elongation factor-1α, phylogenetic reconstruction analysis of, 135
Borrelia bissettii, transmission of by *Ixodes spinipalpis* among prairie voles, 595
Brain xenomas, in *Talpa europaea*, 483
Butterfly fish, endoparasite species richness of, 65

Capsule formation, in *Trichinella spiralis*, 203
$CD4^+$ T cells, protection of SCID mice against *Trichuris muris* by, 631
Cell tracing, within *Mesocestoides vogae*, 105
Cercarial antigens, of *Schistosoma mansoni*, 385
Chemotherapy, of *Plasmodium falciparum*, mathematical modelling of, 237
Chloroquine resistance, and linkage disequilibrium, 1
Circulating anodic antigens, a model for in *Schistosoma mansoni* infections, 601
Cockle parasites, non-random patterns in host use of, 289
Cognitive function, of schoolchildren, impact of asymptomatic malaria on, 337
Confocal microscopy, use of to study *Schistosoma mansoni* musculature, 163
Contracaecum, phylogeny of, 455
Control strategies, for schistosomiasis in schools, 171
C-type lectin, secretion of by infective larvae of *Toxocara canis*, 535
Cyathostominae spp., nuclear and mitochondrial sequences from, 649
Cyclosporin A, mode of action of against *Hymenolepis microstoma*, 661
Cysteine proteinases, role of in *Leishmania mexicana*–host interaction, 367

Desiccation stress, induction of a novel heat-stable protein by, in entomopathogenic proteins, 409
Development, of *Toxoplasma gondii* is blocked by lactacystin, 35
Dictyocanlus spp., in ruminants, 193
Didelphis marsupialis, a definitive host for *Sarcocystis speeri* in Brazil, 589
Discrimination, of pathogenic species of *Gyrodactylus*, 315
Drug-resistant nematodes, selection for following anthelmintic exposure, 217
Dynamics, of *Plasmodium falciparum* and *P. vivax* in Papua New Guinea, 257

Egg hatching, in monocotylid parasites, 303
Elongation factor-1α, genomic organization, taxonomy and phylogenetic relationships of, 135
Encephalitis foci, tick seasonality and, 15
Encephalitozoon hellem, isolation and characterization of an avian isolate of, 9
Encephalitozoon, polymorphism of the Polar Tube Protein PTP1 gene in, 581
Endoparasites, species richness of in butterfly fishes, 65
Entomopathogenic nematodes, invasion by, 211
novel heat-stable protein in, 409
Epidemiological assessment, use of ivermectin in, 527

Fasciola hepatica, tegumental antigen of, 185
Fecundity, of *Teladorsagia circumcincta*, 435
Filarial endemicity, and development of specific IgG4 and IgE, 535
Foetopathy in cattle, association of with *Neospora caninum*, 347
Franz cells, use of to study infection of skin by *Schistosoma mansoni*, 49
Frequency distribution, of *Steinernema feltiae*, 417

Genetic diversity, of *Plasmodium falciparum* and *P. vivax* in Papua New Guinea, 257
Genetic structure, of *Trypanosoma cruzi*, in the American continents, 403
Genomic organization, of *Blastocystis* elongation factor-1α, 135
Glass-eel, infection of the swimbladder of with *Anguillicola crassus*, 75
Gyrodactylus salaris, characterization of the IGS-DNA of, 555
discrimination of from *G. thymalli*, 315
population growth of on *Salmo salar*, 621

Heat-shock protein, in response to *Trichinella spiralis*, 565
Helminth communities, in brown trout, 55
Host–parasite model, of nematode parasites in sheep, 85
Host use, by cockle parasites, 289
Hydatid disease, protective immune responses against, 145
Hymenolepis microstoma, mode of action of cyclosporin A against, 661

IFNγ-mediated responses, involvement of in immunity to *Plasmodium chabaudi* infection, 473
IgE, development of, specific for filaria in schoolchildren, 535
IgG4, development of, specific for filaria in schoolchildren, 535
IGS-DNA, characterization of from *Gyrodactylus salaris*, 555
Immune responses, against hydatid disease in sheep, 145
Immunity, to *Plasmodium chabaudi* AS infection, 473
Incompetence, of rabbits for Lyme disease spirochaetes, 297
Infection duration, for malaria infections in Papua New Guinea, 247
Infection strategies, of *Steinernema feltiae*, 211
Intergenic spacer, of *Gyrodactylus salaris* ribosomal RNA, characterization of, 555
Internal transcribed spacer 2, use of for identification of phylogenetic relationships among *Biomphalaria* species, 611
Ivermectin, use of for rapid epidemiological assessment in Amazonian onchocerciasis, 527
Ixodes ricinus, seasonality of and encephalitis foci, 15

Lactacystin, development of *Toxoplasma gondii* is blocked by, 35

Lead, accumulation and distribution of in *Moniliformis moniliformis*, from rats, 427
Leishmanial cysteine proteinases, role of in host–parasite interaction, 367
Leishmania mexicana, analysis of the role of cysteine proteinases from, 367
Leishmania tropica, specificity of *Phlebotomus sergenti* for, 25
Leptopilina heterotoma, infection of by *Wolbachia*, 493
Linkage disequilibrium, and chloroquine resistance, 1
Lyme disease spirochaetes, incompetence of European rabbits for, 297

Malaria, impact of asymptomatic form of on cognitive function in schoolchildren, 337
Malaria infections, age- and species-specific duration of, 247
Mathematical model, for nematode parasites in sheep, 85
Mathematical modelling, of antimalaria chemotherapy, 237
  of within-host dynamics of *Plasmodium falciparum*, 227
Mesocestoides vogae, cell tracing in, 105
Microsatellite markers, in *Plasmodium falciparum*, 121
Microsporidiosis in birds, 9
Microtus orchogaster, transmission of *Babesia* and *Borrelia* among, 595
Monensin, activity of against *Toxoplasma gondii* cysts, 359
Moniliformis moniliformis, from rats, accumulation and distribution of lead in, 427
Monocotylid monogeneans, egg hatching in, 303
Monte Carlo simulation model, for circulating anodic antigens in *Schistosoma mansoni* infections, 601
Morphology, of *Dictyocaulus* spp. in ruminants, 193
Mosquito gametocyte intake, high heterogeneity in, 115
Muscles, of *Schistosoma mansoni*, a confocal microscopical study, 163
Myxozoan-like parasite, causes xenomas in *Talpa europaea* brain, 483

Nematode parasites, of sheep, 85
Nematodes, and drug resistance, following anthelmintic exposure, 217
Neospora caninum, abortion in cattle associated with, 347
Nervous system, of *Amphilina foliacea*, 441
Neurotransmitters, in the ovijector of *Ascaris suum*, 325
Novel heat-stable protein, in entomopathogenic nematodes, 409

Onchocerciasis, parasitological profiles of in southern Venezuela, 513, 527
Oocysts, of *Plasmodium falciparum*, microsatellite markers in, 121
Ostertagia ostertagi, proteinases released by *in vitro*, 639
Ovijector, of *Ascaris suum*, classical neurotransmitters in, 325

Parasitological profiles, of Amazonian onchocerciasis, 513, 527
Phlebotomus sergenti, specificity of for *Leishmania tropica*, 25
Phocascaris, phylogeny of, 455
Phylogenetic analysis, of mitochondrial and nuclear sequences from Cyathostominae and Strongylinae species, 649
Phylogenetic relationships, among *Biomphalaria* species, 611
Phylogeny, of *Blastocystis* elongation factor-1α, 135
  of *Contracaecum* and *Phocascaris*, 455
Physiological cost, of *Wolbachia* infection, 493
Plasmodium chabaudi, protective immunity to AS infection with, 473
Plasmodium falciparum, genetic diversity and dynamics of in Papua New Guinea, 257
  heterogeneity in gametocyte intake of, 115
  linkage disequilibrium and chloroquine resistance in, 1
  mathematical modelling of within-host dynamics of, 227
  microsatellite markers in oocysts of, 121
  rhoptry development in the erythrocytic schizonts of, 273
  sexual commitment in, 465
  sexual differentiation in, 127
Plasmodium mexicanum, transmission success of into its vector, 575
Plasmodium vivax, genetic diversity and dynamics of in Papua New Guinea, 257
Polar Tube Protein, polymorphism of the gene encoding in *Encephalitozoon*, 581
Polymorphism, of Polar Tube Protein PTP1 gene in *Encephalitozoon*, 581
Population dynamic model, for schistosomiasis in schools, 171
Prevalence, of *Schistosoma mansoni* among 7- to 14-year-olds, 507
Proteinases, release of by *Ostertagia ostertagi in vitro*, 639

Retroviral sequences, transfer of from host to schistosomes, 155
Rhinobatos typus, egg hatching in monogenean parasites from, 303
Rhoptry development, in *Plasmodium falciparum* erythrocytic schizonts, 273
Ruminants, *Dictyocaulus* spp. in, 193

Salmo salar, population growth of *Gyrodactylus salaris* on, 621
Salmo trutta, richness and diversity of helminth communities in, 55
Sarcocystis speeri, *Didelphis marsupialis* as definitive host for in Brazil, 589
Schistosome cercariae, penetration of human skin by, 49
Schistosoma japonica, transfer of host sequences in, 155
Schistosoma mansoni, a confocal microscopical study of the musculature of, 163
  cercarial antigens of, 385
  compatibility of with *Biomphalaria pfeifferi*, 501
  modelling circulating antigens of, 601
  prediction of community prevalence of, 507
  sex ratio of adults, 379
  transfer of host sequences in, 155
Schistosomiasis, school-based control strategies for, 171
School attendance, and school-based control strategies for schistosomiasis, 171
Sex ratio, of adult *Schistosoma mansoni*, 379
Sexual commitment, in *Plasmodium falciparum*, 465
Sexual differentiation, in *Plasmodium falciparum*, 127
Sheep, nematode parasites of, 85
Skin, infection of in humans by schistosome cercariae, 49
Snail–trematode interactions, spatial variation in susceptibility in, 395
Spatial structuring, of *Steinernema feltiae*, 417
Spatial variation, in susceptibility in snail–trematode interactions, 395
Species richness, of endoparasites of butterfly fishes, 65
  of helminth communities in *Salmo trutta*, 55
Specificity of *Phlebotomus sergenti* for *Leishmania tropica*, 25
Spectrofluorometry, of the nervous system of *Amphilina foliacea*, 441
Statistical classifiers, use of to discriminate *Gyrodactylus salaris* and *G. thymalli*, 315
Steinernema feltiae, infection strategies of, 211
  spatial distribution of, 417
Stress response, to *Trichinella spiralis*, 565
Strongylinae spp., nuclear and mitochondrial sequences from, 649
Surface proteins and antigens, of the larval stages of *Ascaris suum*, 671
Swimbladder, of the glass-eel, infection of with *Anguillicola crassus*, 75
Synthetic peptide, induction of protective immune response by against hydatid disease, 145

Talpa europaea, xenomas in the brain of due to myozoan-like parasites, 483
Tegumental antigen, of *Fasciola hepatica*, 185

Teladorsagia circumcincta, fecundity of, 435
TES-70, secretion of by *Toxocara canis* infective larvae, 545
Tick seasonality, and tick-borne encephalitis foci, 15
Toxocara canis, C-type lectin secreted by the infective larvae of, 545
Toxoplasma gondii, activity of monensin against the cysts of, 359
development of is blocked by lactacystin, 35
Transmission success, of *Plasmodium mexicanum* into its vector, 575
Trichinella spiralis, capsule formation in, 203
stress response to, 565
Trichuris muris, protection of SCID mice against with $CD4^+$ T cells, 631
Trypanosoma cruzi, genetic recombination of in the American continents, 403

Ultrastructural events, of capsule formation in *Trichinella spiralis*, 203
Ultrastructural studies, use of to deterimine mode of action of cyclosporin A against *Hymenolepis microstoma*, 661
Ultrastructure, of rhoptry development in *Plasmodium falciparum* schizonts, 273
of the nervous system of *Amphilina foliacea*, 441

Within-host dynamics, of *Plasmodium falciparum*, 227
Wolbachia infection, physiological cost of infection by, 493